

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	thin adj client adj sizing adj tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:59
L2	104	thin adj client near5 config\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:00
L3	3	l2 and server adj farm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:03
L4	0	l2 and unisys\$.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:03
L5	9	unisys\$.as. and thin adj client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:13
L6	1330	709/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:14
L7	29222	709/201-226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:14
L8	2702	719/311-318.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:14

L9	850	719/310.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:14
L10	1376	718/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:14
L11	3754	718/101-107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15
L12	36285	l6 or l7 or l8 or l9 or l10 or l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:15
L13	401	l12 and weight\$6 near5 factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18
L14	28	l13 and configur\$5 near5 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18
L15	8732	707/10,103R,102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:16
L16	507	715/744.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17

L17	310	726/12,29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17
L18	160	702/101,102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17
L19	202	700/240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17
L20	581	711/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17
L21	70	712/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:17
L22	13	I15-I21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18
L23	10520	I15 or I16 or I17 or I18 or I19 or I20 or I21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18
L24	239	I23 and weight\$6 near5 factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18

L25	7	l24 and configur\$5 near5 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:18
L26	3	configur\$5 near2 algorithm and client near2 tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:19
L27	2	optimal near2 server near2 farm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 16:19
S1	450	server near8 (array or farm or group or factory) near8 (heavy or light or medium)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:41
S2	48	server near8 (array or farm or group or factory) near8 (heavy or light or medium) near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:46
S3	42	server near8 (array or farm or group or factory) near8 (heavy or light or medium) near8 application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 14:12
S4	0	server near8 (array or farm or group or factory) near8 (heavy or light or medium) near8 application near8 selection	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 14:12
S5	23	server near8 (array or farm or group or factory) near8 application near8 selection	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 14:54
S6	9	server near8 (array or farm or group or factory) near8 application near8 utilization	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 14:59
S7	37	server near8 (array or farm or group or factory) near8 configur\$5 and (application near8 utilization)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 15:17
S8	19	server near8 (array or farm or factory) near8 configur\$5 and (application near8 utilization)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 15:17
S9	5	unisys\$.as. and (server same farm same application)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/03 15:19
S10	14511	709/223,225,226,238,201,217-222. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:43

S11	0	709/223,225,226,238,201,217-222. ccls. and (thin near5 client near5 siz\$3 near5 tool)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:46
S12	48	server near8 (array or farm or group or factory or array) near8 (heavy or light or medium) near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:47
S13	15	709/223,225,226,238,201,217-222. ccls. and server near8 (array or farm or group or factory or array) near8 (heavy or light or medium) near8 user	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:47
S14	0	709/223,225,226,238,201,217-222. ccls. and (optimal near5 server near5 (farm or factory)) near5 (tool or application)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:48
S15	359	709/223,225,226,238,201,217-222. ccls. and (user near5 (weight or type)) near5 (application)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:49
S16	10	709/223,225,226,238,201,217-222. ccls. and (user near5 (weight or type)) near5 (application) and (server near8 (farm or factory))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/06 10:49



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: [The ACM Digital Library](#) [The Guide](#)

optimal server farm

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **optimal server farm**Found **16,625** of **166,357**

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)[Search Tips](#)[Open results in a new window](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Session 5B: Selfish traffic allocation for server farms](#)

Artur Czumaj, Piotr Krysta, Berthold Vöcking

May 2002 **Proceedings of the thirty-fourth annual ACM symposium on Theory of computing**

Publisher: ACM Press

Full text available: [pdf\(185.69 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

We investigate the price of selfish routing in non-cooperative networks in terms of the coordination and bicriteria ratios in the recently introduced game theoretic network model of Koutsoupias and Papadimitriou. We present the first thorough study of this model for general, monotone families of cost functions and for cost functions from Queueing Theory. Our main results can be summarized as follows.

- We give a precise characterization of cost functions having a bounded/unbounded coordina ...

2 [Online server allocation in a server farm via benefit task systems](#)

T. S. Jayram, Tracy Kimbrel, Robert Krauthgamer, Baruch Schieber, Maxim Sviridenko

July 2001 **Proceedings of the thirty-third annual ACM symposium on Theory of computing**

Publisher: ACM Press

Full text available: [pdf\(292.01 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

A web content hosting service provider needs to dynamically allocate servers in a server farm to its customers' web sites. Ideally, the allocation to a site should always suffice to handle its load. However, due to a limited number of servers and the overhead incurred in changing the allocation of a server from one site to another, the system may become overloaded. The problem faced by the web hosting service provider is how to allocate the available servers

3 [On maximizing service-level-agreement profits](#)

Zhen Liu, Mark S. Squillante, Joel L. Wolf

October 2001 **Proceedings of the 3rd ACM conference on Electronic Commerce**

Publisher: ACM Press

Full text available: [pdf\(202.62 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

We present a methodology for maximizing profits in a general class of e-commerce environments. The cost model is based on revenues that are generated when Quality-of-Service (QoS) guarantees are satisfied and on penalties that are incurred otherwise. The corresponding QoS criteria are derived from multiclass Service-Level-Agreements (SLAs) between service providers and their clients, which include the tail distributions of the per-



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

thin client sizing tool

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used thin client sizing toolFound **15,621** of **166,357**

Sort results by

relevance

Display results

expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [The interactive performance of SLIM: a stateless, thin-client architecture](#)



Brian K. Schmidt, Monica S. Lam, J. Duane Northcutt

 December 1999 **ACM SIGOPS Operating Systems Review , Proceedings of the seventeenth ACM symposium on Operating systems principles SOSP '99**, Volume 33 Issue 5

Publisher: ACM Press

Full text available: pdf(1.79 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Taking the concept of thin clients to the limit, this paper proposes that desktop machines should just be simple, stateless I/O devices (display, keyboard, mouse, etc.) that access a shared pool of computational resources over a dedicated interconnection fabric --- much in the same way as a building's telephone services are accessed by a collection of handset devices. The stateless desktop design provides a useful mobility model in which users can transparently resume their work on any desktop c ...

2 [Limits of wide-area thin-client computing](#)



Albert Lai, Jason Nieh

 June 2002 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 2002 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '02**, Volume 30 Issue 1

Publisher: ACM Press

Full text available: pdf(183.10 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

While many application service providers have proposed using thin-client computing to deliver computational services over the Internet, little work has been done to evaluate the effectiveness of thin-client computing in a wide-area network. To assess the potential of thin-client computing in the context of future commodity high-bandwidth Internet access, we have used a novel, non-invasive slow-motion benchmarking technique to evaluate the performance of several popular thin-client computing plat ...

3 [Web and e-business application: A cost-oriented methodology for the design of web based IT architectures](#)



Danilo Ardagna, Chiara Francalanci

 March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Publisher: ACM Press

Full text available: pdf(628.40 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper proposes a design methodology of Web-based IT architectures tying organizational requirements to technical choices and costs. Information system design and optimum sizing is the result of a reconciliation of several conflicting requirements, including technical performance and costs. Web-based IT architectures involve a number



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((thin<in>metadata) <and> (client<in>metadata))<and> (tool<in>m..."

Your search matched 13 of 1255513 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

1. **Architecture for generating Web-based, thin-client diagramming tools**
 Shuping Cao; Grundy, J.; Hosking, J.; Stoeckle, H.; Tempero, E.;
 Automated Software Engineering, 2004. Proceedings. 19th International Conference on
 2004 Page(s):270 - 273
 Digital Object Identifier 10.1109/ASE.2004.1342744
[AbstractPlus](#) | Full Text: [PDF](#)(689 KB) IEEE CNF
2. **Developing Java-AWT thin-client applications for limited devices**
 Canfora, G.; Di Santo, G.; Zimeo, E.;
 Internet Computing, IEEE
 Volume 9, Issue 5, Sept.-Oct. 2005 Page(s):55 - 63
 Digital Object Identifier 10.1109/MIC.2005.99
[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) IEEE JNL
3. **An environment for automated performance evaluation of J2EE and ASP.NET thin-client architectures**
 Grundy, J.; Wei, Z.; Nicolescu, R.; Cai, Y.;
 Software Engineering Conference, 2004. Proceedings. 2004 Australian
 2004 Page(s):300 - 308
 Digital Object Identifier 10.1109/ASWEC.2004.1290483
[AbstractPlus](#) | Full Text: [PDF](#)(1877 KB) IEEE CNF
4. **Distributed Java applets for project management on the Web**
 Ly, E.;
 Internet Computing, IEEE
 Volume 1, Issue 3, May-June 1997 Page(s):21 - 26
 Digital Object Identifier 10.1109/4236.589191
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(408 KB) IEEE JNL
5. **Multiple server WWW-based synthesis of VLSI circuits**
 Nalbantis, D.; Walczowski, L.T.; Waller, W.A.J.;
 Electronics, Circuits and Systems, 1998 IEEE International Conference on
 Volume 1, 7-10 Sept. 1998 Page(s):537 - 540 vol.1
 Digital Object Identifier 10.1109/ICECS.1998.813379
[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE CNF
6. **Data mining for the enterprise**
 Kleissner, C.;
 System Sciences, 1998., Proceedings of the Thirty-First Hawaii International Conference on
 Volume 7, 6-9 Jan. 1998 Page(s):295 - 304 vol.7
 Digital Object Identifier 10.1109/HICSS.1998.649224



Web Images Groups News Froogle Local^{New!} more »

thin client sizing tool optimal server farm

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about **55,800** for **thin client sizing tool optimal server farm**. (0.23 seconds)

HP Server Based Computing - Solutions Components List

This online, automated **tool** will assist the user with the **size** and scope of ...

Sizing JDEdwards, PeopleSoft, and SAP in a **Thin Client Server** Computing ...

h71019.www7.hp.com/ActiveAnswers/ cache/70285-0-0-0-121.aspx - 126k - [Cached](#) - [Similar pages](#)

HP Server Based Computing - Solutions Components List

HP Thin Client Server Computing - Solutions Components List. ... HP has tested

this platform within its SBC solution to determine **optimum** user support. ...

h71019.www7.hp.com/ActiveAnswers/ cache/70285-0-0-0-121.html - 101k - Nov 6, 2005 - [Cached](#) - [Similar pages](#)

Lean machines: making thin clients really cook: ZDNet Australia ...

"**Server tools** provide feedback as to how things are going. ... But adding more

servers isn't the be-all and end-all of **thin-client** scaling: organisations ...

www.zdnet.com.au/insight/soa/Lean_machines_making_thin_clients_really_cook/0,39023731,20274483,00.htm - 55k - Nov 5, 2005 - [Cached](#) - [Similar pages](#)

Lean machines: making thin clients really cook: ZDNet Australia ...

Look into these **tools** and see if they can't give your **thin-client** environment a

... Don't be fooled by benchmarks showing that the **thin-client servers** are ...

www.zdnet.com.au/insight/ print.htm?TYPE=story&AT=20274483-39023731t-10000100c - 33k - [Cached](#) - [Similar pages](#)

[doc] Terminal Server Sizing Guide

File Format: Microsoft Word 2000 - [View as HTML](#)

If the **client** reestablishes a connection to the terminal **server farm**, ... Thus, the load simulation **tool** employed for version 2.0 of the **sizing** guide, ...

download.microsoft.com/download/5/d/ 6/5d6eaf2b-7ddf-476b-93dc-7cf0072878e6/TermServe-Size.doc - [Similar pages](#)

ACP Thin Client Bookstore

cover Thorough coverage of **thin-client/server** technology, with overviews of the

... cover The definitive technical information and **tools** needed to ...

www.acpthinclient.com/books/index.shtml - 23k - [Cached](#) - [Similar pages](#)

California Software

... of concurrent users from a single host or **server farm** for **optimal** scalability

... NET represents the next step in the evolution of Baby **tools** supporting ...

www.calsw.com/babynet.asp - 57k - Nov 6, 2005 - [Cached](#) - [Similar pages](#)

[PDF] Global Solutions Global Company

File Format: PDF/Adobe Acrobat - [View as HTML](#)

multiple host/multiple **server** configuration for **optimal** scalability. What options does IT have ... desktops, laptops, PDA's wireless phones or **thin clients**. ...

www.calsw.com/Download/Files/infiniteNET.pdf - [Similar pages](#)

[[More results from www.calsw.com](#)]

::: Welcome to Scala Bmolsson Site:::

... MetaFrame and WinFrame **servers** to be grouped into a unified "**server farm**" to

meet the ... Plus, as organizations add new lower-cost **thin clients** like ...

www.scala.bmolsson.com/ sub_menu_scala_display.asp?Sub_ID=78 - 47k - [Cached](#) - [Similar pages](#)

Integrating Thin-Client Servers with ZENworks and NDS

Deploying **Thin-Client Server Farms** without Domains ... The Citrix ICA **Client** uses


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 6,320,000 for **user type weight factor application**. (0.33 seconds)

charpy and izod pendulum, drop **weight** and instrumented impact tests

There are basically two **types** of impact tests: pendulum and drop **weight**. ...

These **factors** make falling **weight** testing a better simulation of functional ...

www.instron.com/wa/applications/test_types/impact/test_types.aspx - 33k - [Cached](#) - [Similar pages](#)

Estimating Software Via Use Cases

Quickly create feature-complete custom **applications** that integrate Web pages, controls, ... Use Case **Type**, Description, Quantity, **Weight Factor**, Subtotal ...

www.ironspeed.com/articles/Estimating%20Software%20via%20Use%20Cases/article.aspx - 48k - [Cached](#) - [Similar pages](#)

Project Estimation with Use Case Points - The Code Project ...

A **weight** of 0 indicates the **factor** is irrelevant and the value 5 means that the

... Use Case **Type**. Description. **Weight**. Simple. A simple **user** interface and ...

www.codeproject.com/gen/design/usecasep.asp - 69k - Nov 5, 2005 - [Cached](#) - [Similar pages](#)

[PDF] From Online Documents To Light-Weight Web Applications

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Factors interaction logic from presentation ... **User** defined **types**. XForms re-uses

XML Schema. XML Web **Applications** - p.13/38 ...

www.stanford.edu/~bebo/slides.pdf - [Similar pages](#)

IP to ATM CoS

... ensures greater quality of service for more important traffic and **user types**.

... To configure the exponential **weight factor** for the average queue size ...

www.cisco.com/univercd/cc/td/doc/product/software/ios111/cc111/ipatmcs1.htm - 59k - [Cached](#) - [Similar pages](#)

Real Time Resource Management and Adaptive Parallel Programming ...

The **weight factor** can be set depending on the **type** of ... The **application** consists

of the following stages and a block diagram is shown in Figure 3 while ...

www.microway.com/papers/appnotes/Microway_Working_Note_23.htm - 37k - [Cached](#) - [Similar pages](#)

Outline of COST User's Guide

The **type** of **weight** function to use in optimization. Choices are: ... In Section

2, the **user** selects w/c or w/cm as a **factor**, defines the range (low and high ...

ciks.cbt.nist.gov/cost/costug.html - 63k - [Cached](#) - [Similar pages](#)

[PDF] 2004 IMLS NLG Application Forms – Abstract STUDY OF USER QUALITY ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

weight factors of hyperlinks from the same domain to avoid a ... in web **applications**.

Inter-**type** links (links that connect different **types** of data ob- ...

metascholar.org/quality_metrics/pdfs/Q-M-application.pdf - [Similar pages](#)

Occupational Hazards - Selecting Healthy Hand Tools

... risk **factors** are significantly influenced by the **type** of hand tools selected.

... **User** and task characteristics need to be evaluated prior to hand tool ...

www.occupationalhazards.com/safety_zones/35/article.php?id=13763 - 30k - [Cached](#) - [Similar pages](#)

[PDF] 1 ADDITIONS TO THE UCODE MANUAL APPLICABLE TO UCODE 3.0

File Format: PDF/Adobe Acrobat - [View as HTML](#)

relative **weight** for any given **type** of observation. In UCODE the **user** defines a

... is a dimensionless **user-defined weight factor**, calculated from the ...

water.usgs.gov/software/code/ground_water/ucode/doc/ucodeadd.pdf - [Similar pages](#)